

23.1" LCD INDUSTRIAL MARINE HEAD MONITOR

29LM2330255/1

DATASHEET

HIGH QUALITY, RUGGED METAL CONSTRUCTION

KME has developed an industrial high resolution monitor to make it usable for marine applications.

SOLUTIONS FOR INDUSTRIAL MARINE MONITORS

- > **Versatile Display Head**
- > **IP65 sealed housing**
The monitor is sealed to IP65
- > **Advanced Deep Dimming 2000:1**
KME has developed a deep dimming solution for the marine range which provides smooth consistent dimming to 2000:1.
- > **DVI and VGA inputs**
Selectable using pushbutton switch.
- > **User Controls**
Brightness, Contrast and OSD
- > **LED Backlights**



23.1" LCD INDUSTRIAL MARINE HEAD MONITOR

29LM2330255/1

DATASHEET

Electrical Description		Mechanical Description	
TFT Characteristics:		Dimensions:	
Type:	23.1" a-Si AM TFT	Monitor:	550(w) x 483.5(h) x 78(d) mm
		Weight:	16kg (approx)
		Input Connectors:	
		VGA DVI BNC	
Max Resolution:	1600 x 1200 pixels		
Active Display Area:	470.4 x 352.8 mm	User Controls:	Front Mounted
Response Time:	12ms average, typical	Housing:	Aluminium
*Contrast Ratio:	600:1 typical	Sealing:	IP65
*Brightness:	500cd/m ² typical		
Viewing Angles (at CR>10):	160° / 160°		
Backlight Life:	50,000 typical		
No. Colours:	16.7 million		
Video Signal:	RGB 0.7-1.0Vp-p		
Composite Video Inputs:	PAL/NTSC		
Signal Sync:	Separate H & V (=ve) TTL or Composite (-ve) TTL or Sync - on - Green (-ve) 0.3V		
Synchronisation Range:	Horizontal scan: 31-75 kHz Vertical Scan: 60-75 Hz		
Display modes:	640 x 480 VGA 800 x 600 SVGA 1024 x 768 XGA 1280 x 1024 SXGA 1600 x 1200 UXGA(recommended)		
Power Supply:	90-265V AC 50/60Hz	Part Numbers:	
Power Consumption:	80 W (Max)		
Environmental: **Operating Temp: Storage Temp:	-0 to +50 °C -20 to +60 °C	Monitor (Black finish):	29LM2330255/1
* Brightness and Contrast refer to naked LCD panel			

Due to a policy of continuous product development KME reserves the right to change specifications and descriptions without prior notification. All trademarks acknowledged.





KENT MODULAR ELECTRONICS LTD
621 Maidstone Road
Rochester, Kent ME1 3QJ
T: +44 (0)1634 830123 F: +44 (0)1634 830619
E: sales@kme.co.uk W: www.kme.co.uk



23.1" LCD INDUSTRIAL MARINE HEAD MONITOR

29LM2330255/1

DATASHEET



Notes:

- Finish: Black
- All external screws countersunk

